



0300
#3
K
8-13-02

PATENT
ATTORNEY DOCKET NO. 50047/006003

Certificate of Mailing: Date of Deposit: 3/25/02

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Christine M. Citro

Printed name of person mailing correspondence

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Nelson Ruiz-Opazo

Art Unit:

Serial No.: 10/040,722

Examiner:

Filed: January 7, 2002

Customer No.: 21559

Title: METHOD OF ASSAYING MODULATORS OF HYPERTENSION

Assistant Commissioner for Patents
Washington, D.C. 20231

REPLY TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

In reply to the Notice to File Corrected Application papers mailed February 5,

2002 (a copy of which is enclosed), Applicant submits herewith the following:

☒ Five (5) sheets of corrected drawings as required under 37 CFR 1.84(g).

If there are any charges, or any credits, please apply them to Deposit Account No.

03-2095.

Respectfully submitted,

Date:

March 21, 2002

Paul T. Clark
Reg. No. 30,162

Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Telephone: 617-428-0200
Facsimile: 617-428-7045



21559

PATENT, TRADEMARK OFFICE

F:\50047\50047.006003----Reply to Notice to File Corrected Papers.wpd



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20235
www.uspto.gov

APPLICATION NUMBER	FILING RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10 040,722	01/07/2002	Nelson Ruiz-Opazo	50047 006003

CONFIRMATION NO. 3696

21559
CLARK & ELBING LLP
176 FEDERAL STREET
BOSTON, MA 02110-2214

FORMALITIES LETTER



OC000000007422513

Date Mailed: 02/05/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

NJ
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE